


# SMB Bearings

# Radial Ball Bearing

## Part Number: R188



for illustration only



|                                     |                        |
|-------------------------------------|------------------------|
| <b>Material (rings &amp; balls)</b> | SAE52100 chrome steel  |
| <b>Material (cage)</b>              | pressed steel          |
| <b>Closures</b>                     | None                   |
| <b>Load rating (stat)</b>           | 44 Kgf                 |
| <b>Load rating (dyn)</b>            | 108 Kgf                |
| <b>Speed Limit *</b>                | 50,000 rpm             |
| <b>Standard Lubrication **</b>      | Aeroshell Fluid 12 oil |

\* with adequate lubrication

\*\* may vary

**These bearings comply with EU ROHS and REACH regulations.**

| <b>RADIAL PLAY</b> | <b>MC1</b> | <b>MC2</b> | <b>MC3</b> | <b>MC4</b> | <b>MC5</b> | <b>MC6</b> |
|--------------------|------------|------------|------------|------------|------------|------------|
| (microns)          | 0 - 5      | 3 - 8      | 5 - 10     | 8 - 13     | 13 - 20    | 20 - 28    |

| <b>TOLERANCE</b>           | <b>P0</b>     | <b>P6</b>     | <b>P5</b>     |
|----------------------------|---------------|---------------|---------------|
| <b>Bore Deviation</b>      | +0 / -0.008mm | +0 / -0.007mm | +0 / -0.005mm |
| <b>OD Deviation</b>        | +0 / -0.008mm | +0 / -0.007mm | +0 / -0.005mm |
| <b>Width Deviation</b>     | +0 / -0.120mm | +0 / -0.120mm | +0 / -0.040mm |
| <b>Bore Variation</b>      | 10            | 9             | 5             |
| <b>OD Variation</b>        | 10            | 9             | 5             |
| <b>Width Variation</b>     | 15            | 15            | 5             |
| <b>Inner Radial Runout</b> | 10            | 6             | 4             |
| <b>Outer Radial Runout</b> | 15            | 8             | 5             |

SMB Bearings take no responsibility for any errors or omissions in this data sheet. We reserve the right to change specifications without prior notice. We recommend that adequate testing is carried out on products before they are determined as suitable for an application.